

## MEAL DELIVERY CARTS

# From Kitchen to Patient



NEW

Transport meals by the tray from the kitchen to acute care patients, long term care clients or inmates.



LOW PROFILE



TALL PROFILE

- For unitized pellet, heat on demand base system or insulated tray service
- Choose from 7 carts, 3 models
  - 4 tall profile - 16 or NEW 30 tray capacity
  - 2 low profile - 20 tray capacity, NEW 14"x18"
  - Choose from 14"x18" or 15"x20" tray set up
  - **New!** Tall profile for correctional tray service / in cell feeding Holds 60 each 14"x11" Base Trays (1411CW or 1411P)



**CAMBRO**  
MANUFACTURING COMPANY

DURABILITY THAT MAKES A DIFFERENCE®



Since 1993, Cambro has helped health-care and correctional facility operators deliver trays to acute

care patients, long-term care clients and inmates.

Designed to work with centralized cook to serve tray lines and unitized pellet or heat on demand base systems, these carts help hold safe food temperatures when distance and holding times add up to an hour or less. Insulation and high performance self-venting optimizes food quality.

Made of tough polyethylene double walled plastic and filled with thick foam insulation, these carts are an economical alternative to metal carts. They are extremely durable, virtually maintenance free, rust proof and easy to clean, providing years of service and maximizing your return on investment.



MDC1418S20

Patent Pending

## TALL PROFILE

16 & 30 Tray Capacity



**New!**



**New!**



| SPECIFICATIONS                                    | MDC1520T30  | MDC1520T16<br>FORMERLY MDC16B                  | MDC1418T30  | MDC1418T16<br>FORMERLY MDC16A                 |
|---|---|--|---|---|
| TRAY SIZE   | 15" x 20" (38 x 51,5 cm)                              | 15" x 20" (38 x 51,5 cm)                       | 14" x 18" (36 x 46 cm)                                | 14" x 18" (36 x 46 cm)                        |
| TRAYS PER CART / PER COMPARTMENT                  | 30 / 10   | 16 / 8   | 30 / 10   | 16 / 8  |
| RAILS PER COMPARTMENT                             | 10  | 4  | 10  | 4   |
| TRAYS PER RAIL / RAIL SPACING                     | 1 / 5" (12,7 cm)                                      | 2 / 5¼" (13,3 cm)                              | 1 / 5" (12,7 cm)                                      | 2 / 5¼" (13,3 cm)                             |
| NUMBER OF DOORS                                   | 3   | 1  | 3   | 1   |
| NUMBER OF COMPARTMENTS                            | 3   | 2  | 3   | 2   |
| NUMBER OF MENU CLIPS                              | 5   | 1  | 5   | 1   |
| MENU CLIPS - LOCATION                             | Each door, each end                                   | Back of cart only                              | Each door, each end                                   | Back of cart only                             |
| HANDLES - TYPE AND LOCATION                       | Heavy-duty nylon, mounted 1 per end                   | Molded-in, back of cart                        | Heavy-duty nylon, mounted 1 per end                   | Molded-in, back of cart                       |
| CASTER TYPE                                       | 6" (15,2 cm), 2 rigid, 2 swivel w/brake, offset       | 6" (15,2 cm), 2 rigid, 2 swivel w/brake        | 6" (15,2 cm), 2 rigid, 2 swivel w/brake, offset       | 6" (15,2 cm), 2 rigid, 2 swivel w/brake       |
| LATCHES   | 2 internal nylon friction catch, 1 external lock hook | Large paddle latch                             | 2 internal nylon friction catch, 1 external lock hook | Large paddle latch                            |
| EXTERNAL DIMENSIONS W x D x H                     | 60" x 29¼" x 63½"<br>(152,4 x 74,3 x 161,6 cm)        | 30½" x 39½" x 58½"<br>(77,8 x 99,4 x 147,6 cm) | 60" x 29¼" x 63½"<br>(152,4 x 74,3 x 161,6 cm)        | 28" x 36½" x 58½"<br>(71,1 x 92,7 x 147,6 cm) |
| INTERNAL DIMENSIONS W x D x H PER CABINET         | 15¼" x 21" x 50"<br>(38,7 x 53,3 x 127 cm)            | 20½" x 30½" x 21½"<br>(52,4 x 77,5 x 54,6 cm)  | 14½" x 21½" x 50"<br>(36,8 x 54,6 x 127 cm)           | 18½" x 29½" x 21½"<br>(46,7 x 74,6 x 54,6 cm) |
| REQUIRED DOOR WIDTH                               | 30" (76,2 cm)   | 31" (78,7 cm)                                  | 30" (76,2 cm)   | 28½" (72,4 cm)                                |
| UNIT WEIGHT LBS (KG)                              | 224 lbs. (101,4 kg)                                   | 148 lbs. (67,1 kg)                             | 228 lbs. (103,3 kg)                                   | 128 lbs. (58,05 kg)                           |
| CASE LBS. (KG) / CASE CUBE (CUBE M <sup>3</sup> ) | 274 (124,5) / 65.5 (1,86)                             | 174 (78,9) / 46.92 (1,33)                      | 278 (126,4) / 65.5 (1,86)                             | 151 (68,5) / 39.61 (1,12)                     |




### LIST PRICE EACH

Colors: Dusty Rose w/ Light Gray Door (400), Gray w/ Light Gray Door (180), Slate Blue w/ Light Gray Door (401), Coffee Beige w/ Light Gray Door (757), Dark Brown w/ Light Gray Door (731), Granite Gray w/ Light Gray Door (191), Granite Green w/ Light Gray Door (192), Granite Red w/ Light Gray Door (193), Granite Sand w/ Light Gray Door (194).

MDC1520T16, MDC1418T16 also available in: Coffee Beige w/ Dark Brown Door (157), Dark Brown w/ Dark Brown Door (131).

MDC1520T16 and MDC1418T16 are Covered by U.S. Patent Des. 398,727. MDC1520T30 and MDC1418T30 Patent Pending.

## KEY FEATURES AND BENEFITS

|                | Tall Profile Units, 30 Tray Capacity<br>MDC1520T30, MDC1418T30   | Tall Profile Units, 16 Tray Capacity<br>MDC1520T16, MDC1418T16  | Low Profile Units, 20 Tray Capacity<br>MDC1520S20, MDC1418S20  |
|----------------|--|---|--|
| <b>Latches</b> | <br>Internal friction catch on each door. External stainless steel hook can be used with a lock to secure contents. | <br>Large stainless steel paddle latches are easy to open, rust free and removable for easy cleaning. | <br>Internal friction catch on each door. External stainless steel hooks to lock contents.                |
| <b>Handles</b> | <br>Heavy-duty nylon handles are securely mounted and nested into each end.   | <br>Molded in handles located on the back of cart for easy transporting.                              | <br>Molded in handles on each end for smooth transporting. Secures items on top of cart.                  |
| <b>Casters</b> | <br>Slightly offset to prevent cart from tipping over when pushed on uneven surfaces.                               | <br>Rigid casters on front and swivel on the back offer solid stability and easy maneuvering.         | <br>MDC1520S20 MDC1418S20<br>Two caster configurations offer excellent stability and smooth transporting. |

## LOW PROFILE 20 Tray Capacity



**MDC1520S20**  
FORMERLY MDC1520



**MDC1418S20**

**New!**

| SPECIFICATIONS                                    | MDC1520S20<br>FORMERLY MDC1520   | MDC1418S20  |
|---|--|---|
| TRAY SIZE   | 15" x 20" (38 x 51,5 cm)   | 14" x 18" (36 x 46 cm)                                |
| TRAYS PER CART / PER COMPARTMENT                  | 20 / 10  | 20 / 10   |
| RAILS PER COMPARTMENT                             | 5  | 5   |
| TRAYS PER RAIL / RAIL SPACING                     | 2 / 5½" (13,9 cm)  | 2 / 5½" (13,9 cm)                                     |
| NUMBER OF DOORS                                   | 2  | 2   |
| NUMBER OF COMPARTMENTS                            | 2  | 2   |
| NUMBER OF MENU CLIPS                              | 2  | 2   |
| MENU CLIPS - LOCATION                             | 1 per door   | 1 per door  |
| HANDLES - TYPE AND LOCATION                       | Molded in, each end  | Molded in, each end                                   |
| CASTER TYPE                                       | 5" (12,7 cm), 2 end swivel w/brake; 8" (20,3 cm), 2 rigid on center axle | 5" (12,7 cm), 2 swivel w/brake, 2 rigid, offset       |
| LATCHES   | 2 internal nylon friction catch  | 2 internal nylon friction catch, 1 external lock hook |
| EXTERNAL DIMENSIONS W x D x H                     | 55½" x 38" x 43¼" (140 x 96,5 x 109,9 cm)                                | 48½" x 32½" x 44" (123,2 x 82,6 x 111,8 cm)           |
| INTERNAL DIMENSIONS W x D x H                     | 21½" x 30¼" x 27½" (53,5 x 76,8 x 69,9 cm)                               | 18¾" x 28¾" x 29" (46,7 x 71,1 x 73,7 cm)             |
| REQUIRED DOOR WIDTH                               | 38½" (97,8 cm)   | 33" (83,8 cm)   |
| UNIT WEIGHT LBS (KG)                              | 160 lbs. (72,6 kg)   | 151 lbs. (68,6 kg)                                    |
| CASE LBS. (KG) / CASE CUBE (CUBE M <sup>3</sup> ) | 184 (83,7) / 55.29 (1,57)  | 191 (86,8) / 49.7 (1,41)                              |

### LIST PRICE EACH

Colors: Gray (180), Slate Blue (401), Coffee Beige (157), Dark Brown (131), Granite Gray (191), Granite Green (192), Granite Red (193), Granite Sand (194).

MDC1418S20 Patent Pending.

CAD Drawings, Cut Sheets and User Manual Available at [www.cambro.com](http://www.cambro.com)

## CORRECTIONAL UNIT

While similar in external appearance to the MDC1418T30, the MDC1411T60 has been modified specifically for use in correctional facilities. It holds 60 each 1411CW or 1411P Cambro Base Trays with 853 Insert Trays for hot or cold food. Added security and durability features include handle security screws, lock blocks on door hinge pins and heavy-duty phenolic casters for smooth transporting from building to building.



| SPECIFICATIONS                                    | MDC1411T60   |
|---|--|
| TRAY SIZE   | 14" x 11" (36,5 x 26,8 cm) Base Tray<br>Tray Codes: 1411CW and 1411P                                   |
| TRAYS PER CART / PER COMPARTMENT                  | 60 / 20  |
| RAILS PER COMPARTMENT                             | 10   |
| TRAYS PER RAIL / RAIL SPACING                     | 2 / 5" (12,7 cm)   |
| NUMBER OF DOORS                                   | 3  |
| NUMBER OF COMPARTMENTS                            | 3  |
| MENU CLIPS  | None   |
| HANDLES - TYPE AND LOCATION                       | Heavy-duty aluminum with security screws, black finish, 1 per end                                      |
| CASTER TYPE                                       | 6" (15,2 cm) phenolic heavy-duty casters, 2" (5,1 cm) wide tread, 2 swivel no brake, 2 rigid           |
| LATCHES   | Internal friction catch, 2 per door, no security lock hook   |
| DOORS   | Door hinge pins secured with lock block prevent removal of doors from unit                             |
| EXTERNAL DIMENSIONS W x D x H                     | 60" x 29 <sup>1</sup> / <sub>4</sub> " x 63 <sup>3</sup> / <sub>8</sub> "<br>(152,4 x 74,3 x 161,6 cm) |
| INTERNAL DIMENSIONS W x D x H PER CABINET         | 14 <sup>1</sup> / <sub>2</sub> " x 21 <sup>1</sup> / <sub>2</sub> " x 50"<br>(36,8 x 54,6 x 127 cm)    |
| REQUIRED DOOR WIDTH                               | 30" (76,2 cm)  |
| UNIT WEIGHT LBS (KG)                              | 228 lbs. (103,3 kg)  |
| CASE LBS. (KG) / CASE CUBE (CUBE M <sup>3</sup> ) | 278 (126,4) / 65.5 (1,86)  |
| LIST PRICE EACH                                   |  |
| Colors: Granite Gray w/ Light Gray Door (191)     |  |

## TRAY SERVICE

# Let's Get Personal!

Update your tray presentation and increase customer satisfaction with Camtrays®. Select from twenty-six NEW modern colors and patterns to match any décor, like Bubble Gum, Lavender, Sky Blue, Light Travertine, Gray Marble or Taupe Granite. We'll add your logo and a value added message to communicate care and satisfaction with every tray served!



26 New Colors and Patterns!

NEW Photo Quality Reproduction Now Available!

New! 72 Tray Minimum and Faster Turnaround!

Immediate Savings! Personalize a Customized Tray Liner & Message onto the Tray! Reduce Waste, Labor and Paper Cost!

Upgrade and Enhance Cafeteria Dining!

Increase Employee and Customer Satisfaction!

