



plastic sides colors



Colour of metal parts - front



Colour of metal - base



Kolorystyka listw cenowych



plastic fenders colors



Top panel colors



RAFAŁ B

Specifications

CODE	RA51
Length [mm]	980
Length with the sides [mm]	980
Capacity [dm ³]	240
Working capacity of the chamber [dm ³]	240
The area of shelves [m ²]	1,5
Cooling area of shelves [m ²]	1,5
Side panel thickness [mm]	40
Depth [mm]	780
Height [mm]	1520+/10
Refrigerant/Cooling factor	R134a
Evaporating temperature [°C]	-10
Cooling power demand [W/mb]	600
Rated voltage [V]	230/50Hz
Rated power of lighting [W]	17
Rated power [W]	425
Cooling power [W]	896
Rated power of electric heaters [W]	230
Electricity consumption [kWh/24h]	6

TEMPERATURE RANGE

+3/+10

RAFAŁ B 1.0

internal cooling aqreqate


Standard equipment

- dynamic cooling (ventilated)
- ecological polyurethane foam insulation
- bumper - different colors available (IGLOO pattern book)
- base and front panel made of white coated steel
- interior and exposition shelves made of white coated steel
- internal top illumination - LED light (white color)
- front panel made of painted steel - different colors available (IGLOO pattern book)
- exposition shelves with height and angle adjustment
- price stripes - different colors available (IGLOO pattern book)
- ABS side panels with glass - different colors available (IGLOO pattern book) thickness : 40 mm
- device leveling legs
- automatic defrost
- automatic condenser vaporization
- electronic temperature controller with digital display
- condenser impurity or fan operation failure alarm ¹

¹ only with IGLOO thermostat

ID	Options
803	additional shelf illumination - LED light (white color)
5003	base color - different colors available (IGLOO pattern book)
5002	front panel color - different colors available (IGLOO pattern book)
811	LED light (meat color)
1336	device interior and exposition shelves made of stainless steel
1337	device interior and exposition shelves made of acid-resistant stainless steel
510	electronic temperature recorder + software ¹
1204	good securing fence
515	temperature recorder wire (RS232 - USB)

¹ only with IGLOO thermostat



Correspondence: ul. Kazimierza Wielkiego 13, 32-700 Bochnia, Poland
Production: Stary Wiśnicz 289, 32-720 Nowy Wiśnicz, Poland

tel.: +48 14/ 662 19 10
fax: +48 14/ 662 19 12

